

IDAHO DEPARTMENT OF ENVIRONMENTAL QUALITY
RCRA CORRECTIVE ACTION AND PERMITTING ACTIVITIES

FFY 2019

FACILITY NAME	ID #	STATUS	PERMIT EXP DATE	ANTICIPATED ACTIVITIES ¹	GW MON	GPRA BEANS ¹	POT ² EPA INVLMT
BROADWAY CLEANERS	5074	CO/CA	N/A	DEQ working with Boise State University to determine if any corrective measures are warranted as a baseball stadium is built over a portion of the plume.	Y		N
FEDERAL CARTRIDGE (Vista)	6481	CA, PC	N/A		Y, S	HHEI-4/12/01; GWEI-4/4/01	N
ITAFOS/NUTRIEN fka NU-WEST dba AGRIMUM	6888	CD/EPA	N/A	Core Injunctive Relief Negotiations restarted. DEQ to address closure and CA including ground water monitoring	Y	?	Y
LYNWOOD DRY CLEANERS	0675	CO/PC	N/A	Monitored Natural Attenuation	Y		N
P KAY METAL	5476	Variance	02/12/20	Processing Variance Renewal. Public Hearing January 22, 2020	N		N
PACIFICORP	2632	PC, CA	09/30/19	Comment Period was extended to December 12 due to computer issue with online comment form.	Y, S	HHEI-4/6/01; GWEI-4/6/01	N
POLES, INC	1714	PC	N/A	Annual Groundwater Monitoring Report received.	Y, A	HHEI; GWEI	?
PRESSURE TREATED TIMBER	1018	PC	N/A	Post Closure Cost Estimate due by 12/31, FA 30 days from cost estimate letter,	Y, S	HHEI-3/7/97; CA999-3/9/97	N
SAFETY KLEEN	0498	OP	07/28/25	SK signed CO addressing FA issues. CO will terminate if annual FA update package complete and correct.	N	HHEI-9/5/96; GWEI-9/5/96; CA999-10/29/98	N
US DOD AFB MOUNTAIN HOME	4557	OP	01/10/25		N	Not on 2020 Baseline	N

FACILITY NAME	ID #	STATUS	PERMIT EXP DATE	ANTICIPATED ACTIVITIES ¹	GW MON	GPRA BEANS ¹	POT ² EPA INVLMT
US DOE IDAHO NATIONAL LAB	8952	OP	See below				
AMW COMBINED		OP	06/04/18	The Contested Case (permit appeal) Hearing Officer determined that the party did not have standing. The Pyrophoric Class 2 Permit Modification Request (PMR) with Temporary Authorization was approved October 18.	N		
AMW TSA		IS	NA	DOE submitted the 45 day notification of intent to close (rec'd September 16). The permit modification to address closure of the TSA units is pending from DOE.	N		
CL-TFF		CL	N/A	Pending IWTU start. DOE identified that a steam line was leaking, adding about 100 gallons of water per quarter to tank farm inventory.	N		
CSSF V22		OP	10/26/27	Facility testing Calcine Solids retrieval technology to empty Bin Set 1.	N		
IL WMS V14		OP	11/19/24	Significant delays as IWTU installs wet and dry decontamination capability and redesigns Process Gas Filter with more corrosion resistant elements. The corrosion resistant elements are undergoing long term testing.	N		Y
INTEC V18		OP	04/27/19	The comment period on Class 2 Permit Modification Request (PMR) with Temporary Authorization closed November 19 with two sets of comments received. DEQ will issue a final decision by December 19. DEQ has received a Class 1* PMR addressing closure of ARP V (WMF-1617).	N		N

FACILITY NAME	ID #	STATUS	PERMIT EXP DATE	ANTICIPATED ACTIVITIES ¹	GW MON	GPRA BEANS ¹	POT ² EPA INVLMT
IS PART A V1		IS	N/A	No revisions as of 2018	N		
MFC		OP	09/30/25		N		
PC PERMIT		PC	02/12/24	GW update no issues	Y, S		
US ECOLOGY SITE A	3952	PC	10/30/27		Y		
US ECOLOGY SITE B	4654	OP	07/27/26	USEI experienced a major event 11/17/2018. USEI has resumed using outdoor stabilization unit for HW. DEQ issued a NOD for the Class 3 for radiation modeling/Waste Acceptance. Meeting with USEI on 10/3 to address treatment building path forward.	Y, S	HHEI; GWEI RC	Y
WABTEC MOTIVEPOWER	6831	PC, CA	09/25/23	Class 2 PMR revising Groundwater monitoring network and updating Risk Assessment for conversion of industrial land to residential complete. Working with Boise P&Z to allow development of downgradient property while preserving wells for PC Permit.	Y, S	HHEI-2/5/99; GWEI-2/5/99; PR	?

¹ This is the best approximation of activities/milestones that are anticipated as of the date of this work plan. Facility actions or delays or other unforeseen factors may result in delay or cancellation of the listed activity/milestone.

² Identified for discussion purposes. IDEQ anticipates requesting EPA support or believes EPA may be interested or have a role (e.g., under TSCA).

ABBREVIATIONS

A - annual

CA - corrective action

CL - closure activities

CO – Consent Order

GWEI – groundwater environmental indicators

HHEI – human health environmental indicators

IS – interim status

N - no

N/A - not applicable

OP - operating permit

PC – post-closure
PMR – permit modification request
PR – permit renewal
RC – remedy construction
Q - quarterly
S – semiannual
TA – temporary authorization
Y - yes
? – maybe

CONFIDENTIAL